

eco
GARAGE
DOORS
welcome home

WESTERN AUSTRALIA



**AUSTRALIAN
MADE AND OWNED**

welcome home

ecogaragedoors stands at the forefront of Australia's garage door industry, crafting and installing premium-quality automatic doors for homes, businesses, and industrial spaces. We prioritise safety, sustainability, and innovation, making us the trusted partner for Australia's leading homebuilders and retailers.


With decades of experience, we've become the preferred direct-to-public manufacturer for thousands of Australian homeowners, delivering personalised products designed to meet their individual needs. Our story is built on a foundation of service excellence and a deep understanding of what makes Australian homes and families unique.

As a proudly Australian-owned and operated business, Eco Garage Doors not only delivers excellence in garage doors but also invests in local communities and champions sustainability throughout our entire value chain. When it comes to your home, quality isn't something you compromise on — and neither do we. Backed by an industry-leading, locally sourced supply chain and the strength of genuine BlueScope Steel, we combine exceptional craftsmanship with the fastest lead times in the market. Choosing the right garage door brand has never been easier.

SAFE | SUSTAINABLE | RELIABLE | TRUSTED



At Eco Garage Doors we reduce our environmental footprint by implementing the latest packaging methods to reduce waste and energy saving conservation via company operations and products to the consumer. We also deliberately choose suppliers who share our environmental values.



New
SWIFT®
Design Studio
Made by Eco Garage Doors
Scan for more



OptiLift™ Sectional GARAGEDOORS



Manufactured by Eco Garage Doors
SAFE | STRONG | RELIABLE

Eco Garage Doors OptiLift™ Sectional garage doors are manufactured locally at our Perth facility with our state of the art roll-forming machine. The sectional garage door is available in five styles ranging from Riviera, Linea, Contempo, Estate and the Traditional profile. Constructed with genuine 0.6mm gauge COLORBOND® steel made by Bluescope, the OptiLift™ Sectional garage door is offered in a range of custom colours and timber look finishes to compliment the façade of any home.

Doors shown are in a woodgrain texture.



Finger protection

All our garage doors have a standard finger safe technology. Each panel is curved and interlocks to protect fingers from becoming trapped in the sections.

features our New

SWIFT®

Design Studio components
Made by Eco Garage Doors

Scan for more



Proudly Manufactured
IN WESTERN
AUSTRALIA

Balanced panels

Each door is made to measure with symmetrical panels ensuring smooth operation every time!

Tough Rail & Weather Seal

Fitted with heavy duty bottom rail & durable ECO PVC weather seal.

Main image: Contempo – Portabella Finish, Golden Oak

Premium upgrade options:

- Powder coated hardware
- Brush seals
- Opener upgrades
- PE beams

Available windows



Lincoln – plain*



Lincoln Hampton 4 Lite*



Lincoln Colonial 6 Lite*



Classic – plain*



Classic Hampton 2 Lite*



Classic Hampton 4 Lite*

*contact us for available insert colours

Standard colours




Non Standard colours



ESSENCE TIMBER FINISH



*Timber Grain
Flexographic*



PORTABELLA PREMIUM TIMBER FINISH



Vivid White



^ Non standard colour includes surcharge (some colours may be provided in paint finish)

* Vivid White is a painted finish.

Insulated Sectional GARAGEDOORS



A QUIETER ECO FRIENDLY OPTION FEATURING A THREE LAYER, HIGH DENSITY POLYURETHANE PANELLING SYSTEM

THE **eco** EDGE



- **Finger protection technology**
Designed to keep fingers safe.
- **European design**
- **Insulated panel**
Optimal thermal protection designed to keep the heat in and offer energy savings with added durability.
- **Mean thermal resistance (R Value) of 1.53m².K/W+18%**
Increase the longevity of your internal climate.
- **Reduces Noise**
Reduces up to 75% of noises from entering or leaving the garage.
- **POLYESTER RESIN INJECTED FOAM PANELLING SYSTEM**

features our New

SWIFT®

Design Studio components
Made by Eco Garage Doors

Scan for more



TIP : Turn your garage into a home office, workshop or gym.



Maximum strength & protection

Won't sag, buckle or deteriorate over time, delivering a timeless investment to any property.

Energy saving

Cuts energy costs and saves you money by reducing thermal exchange in your home.



Noise cancellation

Reduce noise from entering or escaping your garage.



Custom colour matching

Colour match your door to any colour to create a whole new look that nobody has seen before.

Tough Rail & Weather Seal

Fitted with heavy duty bottom rail & durable ECO PVC weather seal.


Main image: Ribline – Vivid white

Image credit: Customer designed and built by Carter Grange

Premium upgrade options:

- Powder coated hardware
- Brush seals
- Opener upgrades
- PE safety beams

Available windows



Colonial*



Stanford – plain*



Porthole*



Sunrise*

*contact us for available insert colours

Colorbond®

Standard colours



Non Standard colours



Metal FX



Vivid White



VIVID WHITE*




CUSTOM COLOURS

^ Non-standard colour includes surcharge (some colours may be provided in paint finish)

* Vivid White is a painted finish.

Custom GARAGEDOORS



Our stunning range of custom sectional garage doors are architecturally designed to provide a bespoke solution to your homes façade. Providing sleek, contemporary designs with hundreds of powder coat colours and materials to choose from.

THE POSSIBILITIES ARE ENDLESS.

Features
our New

SWIFT®
Design Studio components
Made by Eco Garage Doors

Scan for more



Alumicomp

Choose from a broad range of colours in aluminium composite panelling. Available in both Matt and Gloss finish with custom design configurations.

Alumicomp – White Satin cladding with black negative rebate

Design your own

Our experienced team will design, engineer and construct a garage door to cater for any project.

Tranquilo

Smooth, minimalistic contemporary design. Engineered to be the smoothest, flattest, blemish free panel on the Australian market. Choose from hundreds of powder coat colours in the finish of your choice.

Tranquilo panel – Pearl White

Tranquilo panel – Night Sky®, satin

Engineered & manufactured
at our Australian manufacturing facility by our experienced team

Alumalite

Choose from a wide selection of inserts to create a customised look to suit your home.

Alumalite – Ice acrylic inserts, Monument® matt black frame

Premium upgrade options:

- Powder coated hardware
- Brush seals
- Opener upgrades

Alumalite (right) – Hampton with grey tint acrylic windows across top panel, Pearl White frame and inserts

OPTIROLL™ ROLLER GARAGE DOOR

with **SWIFIT®** Design Studio
Designed by Eco Garage Doors



Introducing the OptiRoll™ Roller Garage Door. Combining engineering genius with manufacturing excellence, Eco Garage Doors have designed a roller garage door that will last for years.

The OptiRoll™ Roller Garage Doors is made with our patented SwiFit® technology. The SwiFit® design has been engineered and tested by our innovative in-house R&D Design Studio, delivering a roller garage door with industry leading made components, encompassing strength, rigidity, safety and aesthetic appeal that will surpass the length of time.

Key features of the OptiRoll™ Roller Garage Door:

- Australian designed and manufactured
- Made on state of the art, roll form machine
- Superior deep profile rigid design
- Safe guides
- Australian made, high quality internal spring system
- Colorbond® steel finish
- Eco-friendly package
- SwiFit® Design Studio technology



Recommended operator

**eco PRECISION
DRIVE RDO**

To compliment your roller door the Eco Precision Drive RDO offers a powerful 800N Pull force delivering a smooth, quiet and reliable operation every time.



NEW

Made with
**Colorbond®
STEEL**

features our New

SWIFIT® Design Studio
Made by Eco Garage Doors

Our SwiFit® Design Studio includes:

- ePro-Felt®**
Multilayer Frictionless Rolling and Sliding system
- eLok-Seam®**
Seamless Panel locking System
- eOrbital®**
Duplex Track Rollers
- eSafe-Guide®**
Patented Finger Safe Lead-in Guide system
- eClick-Fix®**
Easy Clip & Slide Fixing system

Scan for more



Main image: OptiRoll™ Roller garage door – eS series, Monument®

Colorbond®

DOVER WHITE	SURFMIST®	EVENING HAZE®	CLASSIC CREAM™	PAPERBARK®	DUNE®	SOUTHERLY®	SHALE GREY™
BLUEGUM®	WINDSPRAY®	GULLY®	JASPER®	WALLABY®	BASALT®	WOODLAND GREY®	MONUMENT®
NIGHT SKY®	IRONSTONE®	MANOR RED®	COTTAGE GREEN®	PALE EUCALYPT®	DEEP OCEAN	ZINCALUME®	

ESSENCE

TIMBER FINISH




HOT DIPPED ALUMINIUM/ZINC ALLOY COATED STEEL WITH POLYESTER OUTER COATING

AVAILABLE PROFILES

OptiLift™ Sectional GARAGEDOORS

- Riviera – Textured or Woodgrain texture
- Linea – Textured or Woodgrain texture
- Contempo – Woodgrain texture
- Estate – Woodgrain texture
- Traditional – Woodgrain texture



COLOUR OPTIONS



PORTABELLA

PREMIUM TIMBER FINISH



ENGINEERED WITH ADVANCED PVC PRE-COATED STEEL DELIVERING A REAL TIMBER LOOK & FEEL

LOCALLY MANUFACTURED AND EXCLUSIVE TO **ecogARAGEDOORS**

AVAILABLE PROFILES

OptiLift™ Sectional GARAGEDOORS

- Riviera – Textured or Woodgrain texture
- Linea – Textured or Woodgrain texture
- Contempo – Woodgrain texture
- Estate – Woodgrain texture
- Traditional – Woodgrain texture



COLOUR OPTIONS



eco RESIDENTIAL 1000N SDO



MOST POPULAR OPENER

- 2.4m – 3.5m max height
- 1000N Max pull force
- Auto close function (max. 135 sec)
- 160mm p/sec open & close speed
- Soft start & soft close
- 433.2MHz radio frequency
- Secure rolling code frequency
- Battery backup available
- Wi-Fi upgrade option available
- Chain drive system (Belt drive option available[^])




Remote Handset
EC04



ECO H^{SDO} LIGHT COMMERCIAL Heavy Duty Sectional Door Opener



EXTRUDED
HEAVY DUTY
RAIL



OUR POWERFUL SECTIONAL DOOR OPENER

- 2.4m – 5.0m max height
- Max door are 25m²
- 1500N Max pull force
- Auto close function (max. 135 sec)
- 190mm p/sec open & close speed with variable speed
- Commercial heavy duty openere rail (powder coated black)
- Fire and security logic (car park ready)
- Maintenance alarm setting
- Partial open/height setting
- Soft start & soft close
- Battery backup available (built in assembly)
- LED off delay time setting
- 433.2MHz radio frequency
- Secure rolling code frequency
- Extended range handsets
- Wi-Fi upgrade option available
- Chain drive system (Belt drive option available[^])

Remote Handset
EC05



Residential Accessories



2 x EC04 remote with each opener




EC05 (extended range handset)[^]



Wall switch[^]



Vehicle sun visor remote[^]



PE safety beams[^]



Wireless keypad[^]



Emergency key release

[^]Optional extra

Commercial **GARAGEDOORS**



Industrial strength
aluminium



Powder
Coat



Custom
Spring life cycle




Smooth
operation

MADE BY ECO COMMERCIAL DIVISION

Our commercial range of garage doors are custom designed and engineered to infuse form, function and strength to your commercial premises.

Carpark Upgrade

Customised solutions to suit low and high cycle carpark requirements.



Perfolite 71% (with custom head and side panels)



19mm welded horizontal bar panel



50x50 RHS vertical aluminum batten

sectional commercial doors

Engineered to the architectural requirements of your premises delivering strength and reliability.


Designs are customised for each project delivering up to 90% open air.



50 x 50 RHS vertical aluminum batten



Perfolite 71%



Perfolite 71% (with custom head and side panels)



Industrial strength



Powder Coat



Low and hi-cycle spring option



Smooth operation



High-wind resistant

INTERLOCKING 75MM AND 100MM SLATS, CONSTRUCTED FROM GALVANISED G300 BLUESCOPE STEEL WITH Z275 ZINC COATING AND ROLL-FORMED IN-HOUSE BY ECO.

Corrosion protection

Curtains are made of galvanised G300 steel with Z275 zinc coating. All steel components, including drum assemblies, guides and brackets, are either galvanised or zinc oxide primed.*^ All geared shutters have fully electroplated chains. Slats are self-draining.

* Excludes Mounting Brackets and Sprockets. ^ Axle Tube and Drum are primed black



Electric operation


An ECO HD Industrial electric opener can be fitted to any roller shutter. Openers feature travel electronic limit switches, wall-mounted control box with thermal overload sensors, oil-filled heavy duty worm drive gearbox with emergency hand chain operation in case of power failure. Motors are three-phase or single-phase to suit power supply. Optional remote controls, card readers and key switches are also available.

Wind-lock end clips and guides


Moulded nylon end clips ensure smooth, low friction operation, and can be readily replaced if damaged or worn. Standard nylon end-clips are fitted to every second slat in all shutters, except wind-locked models.

For areas subject to high wind conditions, or for very wide openings, 75mm or 100mm shutters should be fitted with malleable cast iron wind-lock end-clips and steel wind-lock guides. Wind-lock clips prevent the curtain disengaging from the guides under wind pressure.

Perforated



Slotted



Ventilation

Shutters can be pre-punched or perforated to provide ventilation for applications such as shops and car parks. Slotted slats provide 11% maximum ventilation, while perforated slats achieve 30% ventilation.




Image: Roller Shutter – Monument®

Powder coated finish

Optional powder coated factory finish with choice of 100's colours. Powder coat is more than twice the thickness of the average paint film and provides a long-wearing and durable finish.



Weather Seal

Special ECO heavy-duty rubber to seal the bottom rail against rain, leaves and dust.

Bottom rails

Heavy-duty extruded aluminium bottom rail



PERTH

296 Victoria Road,
Malaga, Perth 6090

t: (08) 6498 7007

MELBOURNE (HEAD OFFICE)

181–183 Frankston-Dandenong Rd,
Dandenong South Vic 3175

PO Box 4164, Dandenong South Vic 3175

t: (03) 9703 1500

SYDNEY

Unit 6, 72 Lasso Road,
Gregory Hills NSW 2557

t: (02) 8417 8117

ADELAIDE

44 - 48 Regency Road,
Kilkenny SA 5009

t: (08) 8185 4998

e: sales@ecogaragedoors.com.au

www.ecogaragedoors.com.au

All colour swatches and images shown on Eco Garage Doors website and brochure have been reproduced to represent actual product colours as accurately as possible. We recommend checking your chosen colour against an actual sample of the product before purchasing as varying light conditions and limitations of the printing process may affect colour tones. SwiFit® is a registered trademark of Eco Garage Doors Pty Ltd. OptiLift™, OptiRoll™, ePro-Felt™, eLok-Seam™, eOrbital™, eSafe-Guide™, eClick-Fix™ are trademarks of Eco Garage Doors Pty Ltd. COLORBOND®, BlueScope and ® colour names are registered trademarks of BlueScope Steel Limited. ™ colour names are trademarks of BlueScope Steel Limited. All our garage doors are supplied and installed with a trademarked badge. Woodgrain texture have an embossed finish. ©Copyright Eco Garage Doors 2025. All rights reserved.

