







AUSTRALIAN MADE AND OWNED

ecogarageDOORS continue to remain an Australian and family owned garage door manufacturer selling direct to the public, builders and resellers across the country. Offering superior quality garage door solutions via our state-of-the-art Australian Made roll-form machinery. Every garage door is custom made to your specifications.

ecogarageDOORS is pleased to introduce MADE BY ECO componentry with our SwiFit® Design Studio. ECO SwiFit® Design Studio is an industry leading initiative to support the future of design, innovation and manufacturing in Australia. Lead by our in-house engineering department and tested in-house by our R&D team, we ensure all of our released products are SAFE, STRONG & RELIABLE.

Buying direct from a manufacturer and using our unique purpose-built software, **ecogarage**Doors are industry leaders in lead times. It has never been easier or quicker to buy and install a new garage door!

SAFE | RELIABLE | TRUSTED



At Eco Garage Doors we reduce our environmental footprint by implementing the latest packaging methods to reduce waste and energy saving conservation via company operations and products to the consumer. We also deliberately choose suppliers who share our environmental values.
























ecogarageDOORS

Manufactured

IN AUSTRALIA

FOR MAXIMUM

SAFETY & PROTECTION

Each door is made to measure with symmetrical panels ensuring

smooth operation every time!

Panel Lift-Safe

GARAGEDOORS

Manufactured by Eco Garage Doors

SAFE | STRONG | RELIABLE

Eco Garage Doors Panel Lift-Safe garage doors (sectional garage doors) are manufactured locally at our Melbourne facility with our Australian made, state of the art roll-forming machine. The sectional garage door is available in four styles ranging from Lincoln, Slimline, Classic and the Ultraline profile. Constructed with genuine 0.6mm gauge COLORBOND® steel made by Bluescope, the Panel Lift-Safe garage door is offered in a range of custom colours and timber look finishes to compliment the façade of any home.

Doors shown are in a woodgrain texture.

ULTRALINE - Woodgrain texture

CLASSIC PANEL - Woodgrain texture

LINCOLN PANEL - Woodgrain texture

Finger protection

All our garage doors have a standard finger safe technology. Each panel is curved and interlocks to protect fingers from becoming trapped in the sections.

features our New SWIFIT® **Design Studio components** Made by Eco Garage Doors Scan for more

BLUESCOPE 0.6MM GAUGE G2NS STEEL

Premium upgrade options:

 Powder coated hardware Brush seals

Opener upgrades

PE beams

Available windows



Colerbond Standard colours

Non Standard colours

ESSENCE

PORTABELLA



VICTORIAN ASH

GREY IRONBARK




AUSTRALIAN BEECH


GOLDEN OAK



RED MAHOGANY

KNOTTED WALNUT














Timber Grain

Flexographic

Vivid White











* Vivid White is a painted finish

Insulated Sectional **GARAGE**DOORS
















A QUIETER ECO FRIENDLY OPTION FEATURING A THREE LAYER, HIGH DENSITY POLYURETHANE PANELLING SYSTEM









TIP: Turn your garage into a home office, workshop or gym.

> Won't sag, buckle or deteriorate over time, delivering a timeless investment to any property.

Energy saving

Cuts energy costs and saves you money by reducing thermal exchange in your home.



Colour match your door to any colour to create a whole new look that nobody has seen before.

Fitted with heavy duty bottom rail

& durable ECO PVC weather seal. Main image: Ribline - Vivid white

Premium upgrade options:

- Powder coated hardware
- Brush seals
- Opener upgrades
- PE safety beams

Available windows









*contact us for available insert colours







Vivid White





FLATLINE - Woodgrain texture











Our stunning range of custom sectional garage doors are architecturally designed to provide a bespoke solution to your homes façade. Providing sleek, contemporary designs with hundreds of powder coat

THE POSSIBILITIES ARE ENDLESS.

colours and materials to choose from.

Features our New

SWIFIT®

Design Studio components Made by Eco Garage Doors

Scan for more

Tranquilo

Smooth, minimalistic contemporary design. Engineered to be the smoothest, flattest, blemish free panel on the Australian market. Choose from hundreds of powder coat colours in the finish of your choice.

Design your own

Our experienced team

will design, engineer and construct a garage door to cater for any project.

Eco engineered to deliver a flawless

consistent smooth panel

Engineered & manufactured

Alumicomp Choose from a broad range of colours in aluminium composite panelling. Available in both Matt and Gloss finish with custom design configurations.

at our Australian manufacturing facility by our experienced team

Alumalite – Ice acrylic inserts, Monument® matt black frame

Alumalite

Choose from a wide selection of inserts to create a customised look to suit your home.

Tranquilo panel - Night Sky®, satin

Premium upgrade options:

- Powder coated hardware
- Brush seals
- Opener upgrades

Alumalite (right) - Hampton with grey tint acrylic windows across top panel, Pearl White frame and inserts

Multilayer Frictionless Rolling and Sliding system

eLok-Seam®

Seamless Panel locking System

eOrbital®

Duplex Track Rollers

eSafe-Guide®

Patented Finger Safe Lead-in Guide system

eClick-Fix®

Easy Clip & Slide Fixing system

Scan for more



Main image: ExoRoll® Roller garage door - eS series, Monument®

exoroll® **ROLLER GARAGE DOOR**

with **SWI**FIT® Design Studio

Designed by Eco Garage Doors







Introducing the ExoRoll® Roller Garage Door. Combining engineering genius with manufacturing excellence, Eco Garage Doors have designed a roller garage door that will last for years.

The ExoRoll® Roller Garage Doors is made with our patented SwiFit® technology. The SwiFit® design has been engineered and tested by our innovative in-house R&D Design Studio, delivering a roller garage door with industry leading made components, encompassing strength, rigidity, safety and aesthetic appeal that will surpass the length of time.

Key features of the ExoRoll® Roller Garage Door:

Australian designed and manufactured

Made on state of the art, dual layer, roll form machine

Superior deep profile rigid design

Safe guides

Australian made, high quality internal spring system

Colorbond® steel finish

Eco-friendly package

SwiFit® Design Studio technology



NEW

Made with

Colerbond

STEEL

To compliment your roller door the Eco Precision Drive RDO offers a powerful 800N Pull force delivering a smooth, quiet and reliable operation every time.









ESSENCE

TIMBER FINISH by UniCote*LUX

















HOT DIPPED ALUMINIUM/ZINC ALLOY COATED STEEL WITH POLYESTER OUTER COATING

AVAILABLE PROFILES

Panel lift-safe GARAGEDOORS

- Slimline Textured / Woodgrain texture
- Ultraline Woodgrain texture
- Classic panel Woodgrain texture
- Lincoln panel Woodgrain texture



Shadow Grey Backing Coat

COLOUR OPTIONS



PORTABELLA

PREMIUM TIMBER FINISH





















ENGINEERED WITH ADVANCED PVC PRE-COATED STEEL DELIVERING A REAL TIMBER LOOK & FEEL

LOCALLY MANUFACTURED AND EXCLUSIVE TO **ecogarage**doors

AVAILABLE PROFILES

Panel lift-safe GARAGEDOORS

- Slimline Textured or Woodgrain texture
- Ultraline Woodgrain texture
- Classic panel Woodgrain texture
- Lincoln Panel Woodgrain texture



180 µm

PVC Outer Coating

Offers a barrier to corrosion and inhibits the breakdown

caused by UV rays.


COLOUR OPTIONS














ECO RESIDENTIAL 1000N SDO









 $\left[\mathbf{\Phi} \right]$ Auto Close











- 2.4m 3.5m max height
- 1000N Max pull force
- Auto close function (max. 135 sec)
- 160mm p/sec open & close speed
- Soft start & soft close
- 433.2MHz radio frequency
- Secure rolling code frequency
- Battery backup available
- Wi-Fi upgrade option available
- Chain drive system (Belt drive option available^)





ECO HOSDO

Heavy Duty Sectional Door Opener



(18)











w











OUR POWERFUL SECTIONAL DOOR OPENER

- 2.4m 5.0m max height
- Max door are 25m²
- 1500N Max pull force
- Auto close function (max. 135 sec)
- 190mm p/sec open & close speed with variable speed
- Commercial heavy duty openere rail (powder coated black)
- Fire and security logic (car park ready)
- Maintenance alarm setting

- Partial open/height setting
- Soft start & soft close
- Battery backup available (built in assembly)
- LED off delay time setting
- 433.2MHz radio frequency
- Secure rolling code frequency
- Extended range handsets
- Wi-Fi upgrade option available
- Chain drive system (Belt drive option available)^

Remote Handset

EC05





Residential Accessories








Wall switch[^]









PE safety beams[^]







Vehicle sun visor remote'

Wireless keypad[^]

Emergency key release

ecogaragedoors





An ECO HD Industrial electric opener can be fitted to any roller shutter. Openers feature travel electronic limit switches, wall-mounted control box with thermal overload sensors, oil-filled heavy duty worm drive gearbox with emergency hand chain operation in case of power failure. Motors are three-phase or single-phase to suit power supply. Optional remote controls, card readers and key switches are also available.



Moulded nylon end clips ensure smooth, low friction operation, and can be readily replaced if damaged or worn. Standard nylon end-clips are fitted to every second slat in all shutters, except wind-locked models.

For areas subject to high wind conditions, or for very wide openings, 75mm or 100mm shutters should be fitted with malleable cast iron wind-lock end-clips and steel wind-lock guides. Wind-lock clips prevent the curtain disengaging from the guides under wind pressure.














INTERLOCKING 75MM AND 100MM SLATS, CONSTRUCTED FROM GALVANISED G300 BLUESCOPE STEEL WITH Z275 ZINC COATING AND ROLL-FORMED IN-HOUSE BY ECO.

Corrasion protection

Curtains are made of galvanised G300 steel with Z275 zinc coating. All steel components, including drum assemblies, guides and brackets, are either galvanised or zinc oxide primed.*^ All geared shutters have fully electroplated chains. Slats are self-draining.

* Excludes Mounting Brackets and Sprockets. ^ Axle Tube and Drum are primed black





Perforated

Slotted

CO INDUSTRIAL

Image: Roller Shutter - Monument®

Ventilation

Shutters can be pre-punched or perforated to provide ventilation for applications such as shops and car parks. Slotted slats provide 11% maximum ventilation, while perforated slats achieve 30% ventilation.



MELBOURNE (HEAD OFFICE)

181–183 Frankston-Dandenong Rd, Dandenong South Vic 3175

PO Box 4164, Dandenong South Vic 3175

t: (03) 9703 1500

SYDNEY

Unit 6, 72 Lasso Road, Gregory Hills NSW 2557

t: (02) 8417 8117

PERTH

296 Victoria Road, Malaga, Perth 6090

t: (08) 6498 7007

e: sales@ecogaragedoors.com.au www.ecogaragedoors.com.au

All colour swatches and images shown on Eco Garage Doors website and brochure have been reproduced to represent actual product colours as accurately as possible. We recommend checking your chosen colour against an actual sample of the product before purchasing as varying light conditions and limitations of the printing process may affect colour tones. SwiFit® is a registered trademark of Eco Garage Doors Pty Ltd. ExoRoll™, ePro-Felt™, eLok-Seam™, eOrbital™, eSafe-Guide™, eClick-Fix™ are trademarks of Eco Garage Doors Pty Ltd. COLORBOND®, BlueScope and ® colour names are registered trademarks of BlueScope Steel Limited. ™ colour names are trademarks of BlueScope Steel Limited. UniCote® is a registered trademark of Selection Steel. All our garage doors are supplied and installed with a trademarked badge. Woodgrain texture have an embossed finish. ©Copyright Eco Garage Doors 2023. All rights reserved.









